A Policy Legitimization for a New Water Rule: A Contextualization of the Unregulated Effects of Industrial Farming, Nutrient Runoff and Costly Surface and Drinking Water Treatments

by

Nicholas P. Guehlstorf, Ph.D. Professor Tel (618) 650-3852; Fax (618) 650-3509 nguehls@siue.edu Department of Political Science and Environmental Sciences Southern Illinois University Edwardsville

Emma MacNeill Undergraduate Research Associate emacnei@siue.edu Environmental Sciences Department and Chemistry Department Southern Illinois University Edwardsville

To Be Presented at 2022 Western Political Science Association Conference Draft Not for Citation or Attribution

Abstract:

Current agricultural practices, which involve winter and spring applications of nutrient-dense fertilizers, are being questioned by rural stakeholders, legally and politically. This industrial farming practice leads to high amounts of unregulated nutrient runoff which has an established relationship with the occurrence of algal blooms, degradation, and impairment of waters. Impairment threatens potable water availability for communities that rely on it as a drinking water source, leaving treatment facilities to consider expensive solutions. Toxic cyanobacterial harmful algal blooms (HABs) are threatening the security of freshwater. While the Clean Water Act (CWA) requires states to report impaired waterbodies, local decision-makers have no science-based framework for on-lake monitoring metrics. The case study for this project is a watershed that has experienced HABs and been legally impaired but is now encouraging precision/conservation farming and uses multiple technical devices to manage treatment. While the law only requires monitoring at a single site, the purpose of this research is to examine the water quality of a more significant portion of the lake and the health of the entire 12,897-acre watershed in Southern Illinois. Through monthly sampling at various locations, we show that nutrient concentration and algal bloom occurrence differ within the lake. These findings provide management techniques that encourage more sustainable farming, and small-scale, cost-effective point-treatments.

Key Words:

Environmental Public Administration, Farm Policy, Algal Blooms, Safe Drinking Water Act

1. Introduction

According to the EPA, more than 15,000 water bodies and over 100,000 miles of moving water are classified as impaired (Stade 2018). The impaired waterway determination comes when the water either fails to meet water quality standards (WQSs), total maximum daily loads (TMDLs), or is otherwise degraded and can no longer be used for drinking or recreational activities. In fact, the EPA estimates that the tourism industry alone loses over a billion dollars a year from restricted recreational activities, such as boating and fishing, due to legal impairment (US EPA 2014). Nutrients, specifically nitrogen and phosphorus, are essential for biological processes, including plant health and growth, and because of this, nutrients play a significant role in agriculture. To increase yields, standard industrial agricultural practices involve frequent and concentrated fertilizer applications. This practice routinely results in excess nutrient application which means that after nutrient uptake occurs, significant amounts of nitrogen, phosphorous, and ammonia remain on land where they are exposed to weather conditions, contributing to runoff and subsequent aquatic ecosystem and surface water degradation. Nutrient pollution has negative implications for aquatic systems, human health, and socio-economic issues, but the most important for this study is the association with algal blooms.

<u>Algal Blooms</u>

While the presence of both nitrogen and phosphorus from runoff can have oxygendepleting effects in freshwater systems, phosphorus is a limited and growth-limiting nutrient, and as such promotes eutrophication (West et al. 2013). Eutrophication is the naturally occurring enrichment of surface waters with nutrients; however, large amounts of nutrients from runoff can amplify this enrichment and when combined with ideal climate conditions, can lead to algal blooms. Serious consequences that threaten potable water quality and availability can arise from nutrient pollution in drinking water supply reservoirs. Due to the manner in which environmental policy and regulation is implemented, this type of pollution occurs with few meaningful management policies, leading to environmental issues with complex solutions.

Algal blooms can lead to hypoxic or low oxygen conditions in waters (Coffey et al. 2019). The exponential growth of blooms also means decomposition of dying algae; this process requires large amounts of oxygen and effectively depletes levels in waters which can kill fish, organisms, and plants. The composition of algal blooms is mainly dependent on nutrient ratios, but they are caused by several organisms, including phytoplankton, benthic algae, macro-phytes, and cyanobacteria, also known as blue-green algae. Some cyanobacterial blooms produce toxins, known as harmful algal blooms (HABs), threatening ecosystem health, public health, and the availability of safe water. In the past, many lakes and coastal waters in states such as Florida and Louisiana have seen HABs almost annually, with some being affected every year for months at a time (Florida Department of Health n.d.; Louisiana Department of Health 2019).

The warm and humid climate of southern states has been a commonly accepted explanation for frequent algal blooms; however, blooms are increasing in frequency and geographic distribution. States such as Wisconsin, Minnesota, and Ohio, which historically have not seen harmful blooms to an extreme, have recently experienced an increase in HABs in their lakes and streams, degrading water quality. Wisconsin experienced a widespread algal bloom in Lake Superior in the summer of 2018, and in 2014, northwest Ohio was severely impacted by a HAB in Lake Erie, which left more than 400,000 people without drinking water for three days (Tanber 2014). These increases, especially in states that have previously been less likely to experience HABs in the past, are evidence of a more significant nutrient pollution problem occurring throughout the country.

Legislation and Current Implementation: Clean Water Act

The purpose of the Clean Water Act (CWA), passed in 1972, was to restore waters and remediate previous damage. The CWA was passed with opposition and a fair share of controversy centered on the cost of implementation. The Office of Management and Budget completed a cost-benefit analysis on the CWA, specifically on surface waters, and found that the cost of regulation significantly outweighed the resulting benefits; however, the EPA concluded that some of the benefits are unmeasured (Keiser, Kling, and Shapiro 2019; Van Houtven, Brunnermeier, and Buckley 2000). This Act and its subsequent Amendments targeted industrial pollution sources, or point sources, that emit from a localized and established point and can easily be tracked to the source. Point source nutrient pollution, often from industries and other facilities, is regulated by the Clean Water Act (CWA) through a system of permits known as the National Pollutant Discharge Elimination System (NPDES). This regulation for point source pollution is not considered successful as it does not reduce pollution, rather it addresses problems through management technologies. However, it has achieved more success than attempts to regulate nutrient overload from non-point sources. (Liu, Bruins, and Heberling 2018). The success of the CWA is difficult to measure because the U.S. continues to have a significant number of waterways failing to meet WQSs. This is at least partially a result of non-point source pollution issues.

The almost fifty-year regulatory strategy of focusing on point source pollution ignores the larger sources of pollution: non-point sources. Non-point source (NPS) pollution resulting from agricultural and land management practices is a particular challenge to regulators. The nutrients "run off" from agricultural lands at many points, unlike the nutrient loads from municipal and

industrial point sources. NPS pollution is not regulated by the CWA and continues to be a significant issue facing bodies of water in the United States (Reimer, Denny, and Stuart 2018). <u>Safe Drinking Water Act</u>

The SDWA, passed in 1974, was a governmental attempt to better protect potable water quality, since many other earlier water policies failed to do so. Before the passage of the SDWA, drinking water quality was considered a state issue with no Federal guidelines and no local or community involvement. This resulted in inconsistent regulation and quality of drinking water, especially in rural communities. It was not until the early 1970s that the severe gaps in water quality regulation were examined and determined to be a threat to human health. In the years following the passage of the SDWA, significant amendments occurred into the late 1990s which stressed risk management, focused on pollution prevention (rather than abatement) and a comprehensive cost-risk-benefit assessment. Specifically, the 1996 amendment set forth a requirement for the EPA to determine the best management practices (BMPs) for the assessment and the protection of drinking water sources (Zarkin 2015). In addition, states were required to implement their own programs to monitor drinking water sources and were encouraged to implement programs at a local level to strengthen pollution prevention practices.

The 1996 amendment to the SWDA also focused heavily on ensuring public notification and participation, as well as encouraging education. The amendments introduced provisions that would require public notification about water quality, including violations, as well as implementation efficiency at the local and state level (Humphreys and Tiemann 2021). The purpose was to make information available to the public in hopes of encouraging participation and compliance. The amendment also addressed incorporation of risk-based science into water contaminant regulation. In addition to the language addressing National Primary Drinking Water Regulations (NPDWRs) and the Maximum Contaminant Levels (MCLs), the 1996 amendment introduced the Unregulated Contaminant Monitoring Rule (UCMR).

The purpose of the UCMR is to initiate the monitoring of contaminants of possible concern to determine if an NPDWR is necessary to protect public health. Currently, the UCMR is the only way that any regulatory Federal monitoring for cyanotoxins is achieved. The SDWA's regulations apply to publicly and privately owned systems that provide piped water to at least 25 people regularly (Humphreys and Tiemann 2021). For the fifth UCMR, the program requirements were altered to require all Public Water Systems (PWSs) that serve between 3,300 and 10,000 people to monitor during particular UCMR cycles, and a representative sample of small PWSs serving 3,300 (EPA 2021; Office of Water 2020). Otter Lake Case Study

Many Midwestern states with a large agricultural industry, including Illinois, are significant contributors of nonpoint source phosphorus, thus the need for increased research to understand progress toward the goals established by the Illinois Environmental Protection Agency (IEPA) under the Illinois Nutrient Loss Reduction Strategy (NLRS). In order to examine the challenges with the CWA, NPDWRs, UCMR and contemporary issues of water impairment, algal blooms, and cyanotoxins, a pilot waterbody was selected for examination. The case study for this project is the Otter Lake Watershed, a 12,897-acre watershed in Southern Illinois generally and rural Macoupin County, specifically. Since its formation in 1967, the Otter Lake Water Commission (OLWC) has expanded to provide drinking water to eight rural towns and villages and two rural water districts across three counties (Northwater Consulting 2018). In 1996 and 2002, algal blooms created regulatory impairments to recreational activities and drinking water supplies, including a continued impairment designation by the IEPA until 2004. Starting in 2006, and lasting six years, the OLWC was unable to provide water for Public and Food Processing due to impairments relating to mercury, manganese, total phosphorus, and aquatic algae levels (Northwater Consulting 2018). While the manganese and aquatic impairments were addressed in 2014, the lake is still considered impaired for mercury and total phosphorous standards.

Given that phosphorus is a significant nutrient source for algae, it is unsurprising that Otter Lake has observed significant blue-green algae counts in recent years; testing frequently reveals high counts of the cyanobacterial compounds 2-methylisoborneal (MIB) and geosmin in the water. These compounds have effects on taste and odor within the water supply, leading to increased treatment expenses and consumer complaints. While maximum concentrations of total phosphorous have decreased since 2010, minimum concentrations have remained consistent and routinely exceed Illinois's water quality standard. The highest total phosphorous values occur between July and October, exceeding the standard 73% of the time (Northwater Consulting, 2018). It is helpful to note that the water is more likely to be impaired during this timeframe, but more specific data about the entire lake at different depths in needed to monitor any of the nonpoint source pollution comprehensively. Since Otter Lake is used as a drinking water supply for eight rural towns and two rural water districts, understanding the relationship between unregulated chlorophyll a (Chl a) and levels of phosphorus and nitrogen in surface water is a valuable advancement of scientific knowledge. In fact, the concentrations of pollution throughout the lake and data correlations may have practical implications for Otter Lake.

This paper seeks to further understand the correlation between current agricultural practices, which yield unregulated amounts of nutrient pollution, and policy treatments for surface waters. In addition, this paper examines the impact of NPS pollution on the quality of

drinking water that can be provided to local communities, while looking for patterns of impairment to suggest possible small-scale point-treatments to improve water quality in a cost-effective manner.

2. Literature Review:

The monitoring of surface water quality is an action currently required by Federal and State law. This action becomes even more important when that water is the primary or initial drinking source for communities. However, multi-locational monitoring or analysis over time is not required by Federal or State law. Current natural science research into the impacts of agricultural practices on surface water quality often focus on the presence and number of pesticides, herbicides, and components of fertilizer, specifically nitrogen and phosphorus. While this approach is important for the determination of contamination, it does not always provide insight into probable and possible techniques to implement surface water pollution controls. In contrast, social science research on water facilities has largely focused on the ability to provide water, periods of non-compliance, and the ineffectiveness of the CWA and the SDWA. This approach frequently ignores recent scientific data and focuses on the policy aspect of water quality. While policy research is both necessary and beneficial, the current approach seems to ignore or dismiss realistic and affordable water management solutions. The gaps created by the focus on either natural or social science research has allowed for lapses in water policy that has resulted in an adverse effect on surface waters, the reliant communities, and the environment.

In 1998, Congress passed the Harmful Algal Bloom and Hypoxia Research and Control Act to address the issue of Harmful Algal Blooms (HABs) in ocean and coastal waters. Included in this legislation was a national research plan to understand the causes and impacts of HABs in coastal areas to improve the likelihood of successful management and mitigation. This

legislation is specific to coastal waterways and does not apply to land locked waterways (National Plan for Algal Toxins and Harmful Algal Blooms 2005). A companion plan is needed for freshwater, as many communities rely on these sources for tourism, food, and drinking water. A large number of freshwater water sources throughout the United States are compromised by HABs. (Notable regions with compromised water sources include the Great Lakes, the fresh and brackish water portions of the Gulf of Mexico, the entire Western Coast, and the top half of the East Coast (Environmental Protection Agency 2003; National Plan for Algal Toxins and Harmful Algal Blooms 2005; U.S. National Office for Harmful Algal Blooms n.d.; Watson et al. 2016). However, there are also a significant number of smaller lakes across all 50 states that have untreated HABs.

Due to the lack of legislation regulating freshwater, many water managers rely on an outdated 1990 assessment strategy from the World Health Organization to mitigate HAB risk (National Plan for Algal Toxins and Harmful Algal Blooms 2005). Since impaired freshwater results in no legal ramifications, many water managers react after a bloom has formed which typically results in crisis management over crisis preparedness. Lack of data for each waterway to be protected is also a limitation, as we often have no baseline data for the health of an aquatic system. A typical scenario is after the freshwater source becomes compromised by a HAB, consumers report a foul taste or smell from their water. The water disbursement agency will then send a water sample to a testing facility. Testing can take anywhere from three to four days, during which time the water is still being distributed. If a bloom is detected, the governing agency will release a "Boil" or a "Do Not Drink" order. However, the contaminated water has already been distributed to residences as potable water, to industry as non-potable water, and to local farming industries as water for their livestock and crops.

Risk management practices are currently informed by bloom frequency, the dose-toxin relationship, and budget-effective management solutions (Freeman 2010; Holsinger et al. 2015). This information currently is deemed by the EPA as insufficient to influence environmental policy and to implement new regulation for Freshwater HABs (Holsinger et al. 2015). Much of the scholarship, as seen in the following literature review, is focused on how agricultural practices impact surface water quality, and less on how to better predict periods of impairment for treatment facilities.

Natural Science Literature:

Harmful Algal Blooms (HABs) consist predominately of blue-green cyanobacteria but can also include diatoms and dinoflagellates. These blooms are harmful when growth occurs rapidly in aquatic ecosystems and can harbor dangerous and toxic bacteria that affect human and animal health, aquatic ecosystem health, and aquatic economics. HABs produce toxins that permeate the water and travel through the ecosystem, infecting fish, shellfish, plants, and animals. They are typically caused by nutrient loading, in which an aquatic ecosystem experiences a large influx of phosphorous and nitrogen. Over time, water systems experience a gradual increase in these nutrients and will cycle through eutrophication (Watson et al. 2016). When nutrient runoff pollutes an aquatic system, this eutrophication cycle can be amplified. In warmer water temperatures, this combination can result in an algal bloom. If consumed, HAB's can cause adverse effects on humans, livestock, and pets, and in some instances, can cause death. While not all algal blooms are toxic, they are a major concern for water managers globally.

Researchers in Mauritania studied the seasonal occurrence of cyanobacteria and microcystins within the Foum-Gleita Reservoir (Sadegh et al. 2021). This research involved examination of not only limnological factors but also biological and environmental factors

including nitrogen and phosphorus concentrations, water pH, and water temperature. The research was completed over 11 months with regular sampling at various depths, allowing for a more in-depth analysis of cyanobacteria both throughout the year and the water column (Sadegh et al. 2021). The researchers concluded that toxic cyanobacteria were found in higher concentrations closer to surface level, likely due to the amounts of available sunlight, and were positively correlated with warmer temperatures (Sadegh et al. 2021). While these findings are not unexpected based on previous understanding of algae growth; the sampling occurred during different weather patterns throughout the year which provides more insight into the previous understanding of algae growth. When it relates to nitrogen, phosphorus, and pH, the associations were dependent on the species of cyanobacteria, but for many of these factors there is a positive correlation with growth with toxic cyanobacteria and warmer temperatures. These findings are supported by research done on Lake Erie (2019) and in the East African Rift Valley in Lake Tanganyika (2007) (Jankowiak et al. 2019; Wever et al. 2007). More research is needed to identify the relationships between temperature, nitrogen, phosphorus, pH, and the occurrence of algal blooms. While some of these studies examined microcystin relationships, they did not provide useful solutions other than more frequent sampling. As such, our sampling design includes surface and one-meter depth sampling, at multiple sites, multiple times a year, and for numerous contaminants.

The protection of water quality in lakes, streams, and reservoirs is a difficult task due to many factors, many of which are anthropogenic. Predicting how anthropogenic factors affect a water system is difficult, largely due to a lack of understanding of their impact. For this reason, modelling techniques continue to be developed to help researchers, and eventually watershed managers, better predict periods of impairment and future risks due to changes in land-use and

ecological factors (Erol and Randhir 2013; Rousso et al. 2020). Researchers studying Lake Egirdir, a freshwater lake in Turkey significantly impacted by both nonpoint and point source pollution, turned to ecological comprehensive modeling techniques in order to better protect the water system (Erol and Randhir 2013). Two approaches were used to develop the model. The first involves using geographic information system (GIS) mapping to spatially analyze how pollution moves through the water system, and the second examines the effectiveness of the best management practices (BMPs) in place for both point and nonpoint pollution sources (Erol and Randhir 2013). The conceptual model includes water quantity, water quality, watershed characteristics, and weather factors to create a baseline model of the water system (Erol and Randhir 2013). The empirical modeling involves simulating the watershed and altering point and nonpoint pollutions and examining how differing loads impact the system (Erol and Randhir 2013). Through modeling, researchers were able to predict how factors will impact the health of the watershed and were able to provide BMP recommendations (Erol and Randhir 2013).

The modeling of cyanobacterial harmful algal blooms (cyanoHABs) is becoming more common. Widescale adoption of this approach would allow publicly owned treatment works (POTWs) to more accurately predict the occurrence of cyanoHABs and better choose appropriate treatment and management techniques before they start. Both process-based (PB) and datadriven approaches to successfully model cyanoHABs have been used (Rousso et al. 2020). Datadriven models are frequently used as short-term predictors and are more commonly used, whereas process-based are typically used for long-term predictions (Rousso et al. 2020). Some are capable of differentiating species, some in 1D, 2D and 3D, some look at anthropogenic factors, and others look at water movement (Bruce et al. 2006; Ibelings et al. 2003; Rousso et al. 2020). Data-driven models include regression and indexes, artificial neural networks (nonlinear regressions), decision trees, genetic programming, and Bayesian networks (Rousso et al. 2020). Each of these approaches has strengths and weaknesses, which is why they are frequently used together. Researchers have found that using regressions and indexes works well when examining a number of outside factors and the combination is useful for showing correlations (J. Liu and Fang 2017; Rousso et al. 2020). The use of Bayesian probability models on well-studied water systems to examine the probability that an event may happen can also help in future management (Bertani et al. 2016; Rousso et al. 2020).

Modeling has the possibility to be a powerful tool in the POTW arsenal if proper sampling and monitoring are completed. When modeling relies on statistics and is conducted without proper data input from sampling and monitoring, the model will eventually become inaccurate and unable to aid in the prediction and pretreatment of HABs (Sheng et al. 2012). Current research supports the benefits of modeling but argues for stronger and more standardized monitoring in order to create a modeling system that can be applied to the majority of water systems (Erol and Randhir 2013; Rousso et al. 2020; Sheng et al. 2012).

Social Science Literature:

The other approach to examining surface water impairment comes from policy analysis: the examination of laws and policies to determine if they are effective at protecting surface waters as they are currently implemented. This approach often uses past scientific data, surveys, compliance, and economic assessments of how much consumers are willing to pay. Many researchers have pointed out the flaws in the SDWA and CWA, especially for small towns (Marcillo and Krometis 2019). The Harmful Algal Bloom and Hypoxia Research and Control Act, which gave the National Oceanographic and Atmospheric Administration (NOAA) authority to spearhead a plan to mitigate the Red Tide affecting the Gulf of Mexico. The plan

established a task force which, 12 months from its inception date, would submit two separate environmental impact reports to Congress about HABs and to provide subsequent assessments each year about Hypoxia. Again, this Act specifically states it is only for coastal waters, Federal regulatory agency does not supersede state authority, and Federal enforcement authority is limited to what was already in the CWA.

In 2004, an amendment changed the frequency of the assessments and included the Great Lakes and all US freshwater locations. However, this change did not gain traction as the regulatory body for national water sources is the EPA and as of current the EPA has not begun to create a risk management or assessment plan for Freshwater HABs. Under the CWA and the SDWA, the EPA is responsible for ensuring that potable water is safe for human consumption and therefore must be the one to initiate a plan for Freshwater HABs. In 2005, enforcement authority for Coastal HABs was increased through the National Plan for Algal Toxins and Harmful Algal Blooms which addressed critical needs of the United States coastal waters by providing grants of study for "bloom ecology and dynamics; toxins and their effects; food webs and fisheries; and public health and socioeconomic impacts" (National Plan for Algal Toxins and Harmful Algal Blooms 2005). The funding from these grants allowed development of technology, models, and regulating equipment that successfully predicted the Red Tide in Maine in 2008, minimizing the economic loss of contaminated shellfish and providing residents early warning to be careful during this time period (Lippsett and Carlowicz 2008).

The SDWA requires the EPA to develop a list of contaminants that may occur in public water systems every five years, but these listed contaminants are not currently subject to regulations. Since the passage of the Harmful Algal Bloom and Hypoxia Research and Control Act, multiple strains of cyanobacteria, such as microcystin, have been added to the list as

microbes of interest; however, no policy or regulatory determinations have been made. In 2015, the EPA published "Recommendations for Public Water Systems to Manage Cyanotoxins in Drinking Water," however the document plainly states, "This document is not a regulation; it is not legally enforceable; and it does not confer legal rights or impose legal obligations on any party, including EPA, states, or the regulated community" (EPA 2012). There are currently no Federal regulations or programs for Freshwater HAB management. Marcillo and Krometis (2019) found that very small and isolated rural area community water systems (CWSs) experienced more frequent noncompliance with the SDWA than larger water systems. Relying on data from CWSs to determine water quality can lead to mixed results in terms of whether the policy is effective at meeting its intent, and this frequently is a result of under- and misreporting of sampling results, periods of contamination, and periods of impairment. The reliance on data from CWSs is a limitation of many of the policy evaluations and research currently published today. Environmental scholars assert that this noncompliance likely allows for harmful contaminants to enter water systems unnoticed, potentially posing a concern to human health (Marcillo and Krometis 2019; Oxenford and Barrett 2016). It is important to note that the SDWA does include provisions to help water systems reach compliance, but frequently rural and small CWSs are unable to complete requests for funding, and any funding received is often insufficient to manage issues faced by small CWSs (Marcillo and Krometis 2019; The United States Environmental Protection Agency 2017).

Other policy-focused research studies the methods by which implementation of remediation techniques occur. David Switzer, from Florida Atlantic University, studied the levels of implementation in different areas for CWSs (Switzer 2019). Switzer determined that violations occurred more frequently in Republican leaning areas than Democratic, suggesting

that politics have an influence on policy implementation and the protection of water quality (Switzer 2019). This influence of politics on policy implementation and water quality protection is hard to examine but relevant to the case study for this paper.

Locally in Illinois, Otter Lake has received impairment status from the EPA multiple times. This lake, predominately surrounded by rented farmland, experiences excess nutrient loading during the growing season. The sedimentation is so severe that the depth levels of the northern parts of the lake have changed by 10 feet in less than half a century. This suggests significant amounts of runoff through the year; however, the EPA only requires one site to be tested and only an annual average is reported. This methodology does not reflect the threat posed by the cyclical nature of algal blooms, the growing season, or environmental factors.

Annual reporting may not protect consumers and is problematic as the Water Commission determines if additional testing is required to keep the lake safe (and then must pay for it). Instead of finding the willingness to pay thresholds of the watershed, the Otter Lake Water Commission took the approach of requesting EPA grants for financial assistance in equipment and conservation efforts to manage run-off and clean-up the nutrient pollution. An assessment by a consulting group, Northwater Consulting, concluded cleaning up and stabilizing the lake would cost \$8.5 million in order to reach and remain unimpaired (Northwater Consulting 2018). This estimated cost exceeds what the commission has or can receive in risk management grants from the EPA. These factors are why Otter Lake was chosen as a case study for developing a test for new water rules for freshwater sources in the United States. Current literature acknowledges the cost barriers which make it difficult to provide necessary tools to improve water quality. There are advantages and disadvantages to using solely statistical, modeling, and direct water analysis. This research aims to attempt to find a median between

different monitoring techniques to provide cost-efficient and manageable solutions so that water facilities are equipped with tools to best manage water. Changes within the industrial agricultural practices are required through policy changes; because without it, nutrient loading will not decline. The reluctance and inability to force these changes pushes the burden of protecting surface waters onto treatment facilities, making it even more important that they are properly equipped with the best tools to do so.

3. Methodology and Hypothesis:

The purpose of this study is to construct a multi-month timeline to show how the concentration of nutrient pollution and chlorophyll changes throughout the year. If the testing reveals a strong correlation between chlorophyll *a* and increased levels of phosphorous and nitrogen, there are strong policy and public health implications since the question of whether a treatment facility can effectively and economically treat a source of drinking water for cyanobacteria toxins is an essential one. If the water cannot be treated, a "Do Not Drink" order is required until the nutrients and algae are controlled. Our questions are as follows:

- H (1): The occurrence and prevalence of nuisance algal blooms (chlorophyll a >20 μg) has a direct correlation with nutrient run-off (total Kjedahl nitrogen (TKN), total Kjedahl phosphorus (TKP)) stemming from excessive fertilizer application practices and weather conditions.
- *H*(2): Comprehensive testing (more than 30 lake sites) can be used to allow POTWs to predict and manage HABs because there are significant differences of pollutants (ammonia, nitrite, nitrate) by location of lake and time of year.

This research is designed to provide scientific evidence to support watershed-level decisionmaking on treatment strategies and how drinking water quality and availability is impacted.

To test this first hypothesis, it was necessary to make this sampling as comprehensive as possible; to do so, geospatial techniques were used to determine an initial 33 sampling sites throughout the second portion of the lake, where the water is used for drinking (Appendix A).

Following the input from a solar-powered stratifier, an additional site was added as site *34*, close to site *33*.

Tests were conducted monthly from March – December 2021. At all sites, 1 L samples were collected in HPDE bottles at surface level, using the grab technique. At sites *1*, *14*, *16*, *22*, *and 27*, additional 1 L samples were collected at 1-meter depth using a Van Dorn water depth sampler. These five sites also had one 50 mL sample collected in total for suspended solids (TSS) determination, and three 500 mL samples were collected in amber glass bottles for pesticide determination. All samples were kept on ice until return to the laboratory. During sampling, field data was collected at every site: turbidity was determined using "Hanna instruments" with Fast Tracker Technology (Model HI98703); pH, temperature, conductivity, and relative dissolved oxygen (RDO) was collected using *Thermo Scientific Orion Star A* following the procedures provided in the manual.

Following return to the laboratory, samples were split and preserved according to their individual procedures. A total of nine tests were completed with these samples: total Kjedahl nitrogen (TKN), total Kjedahl phosphorus (TKP), ammonia, nitrite, nitrate, total phosphorus (TP), and chlorophyll. First, the samples were filtered and stored for chlorophyll determination following EPA Methods 445, 446, and 447. Following filtration, the rest of the samples were preserved according to their methods. TKN (Quikchem Method 10-107-06-2-P), TKP (Quikchem Method 10-115-01-2-C), ammonia (Quikchem Method 90-107-06-3-A) and TP (EPA Method 365.3) were all preserved in acid while nitrite and nitrate (Quikchem Method 90-107-04-2-A), were preserved in base. TSS is to be completed within seven days according to the EPA Method 1684 and no preservation occurs. All liquid samples were then stored at 4 °C and the filters for chlorophyll were stored at -20 °C.

All analysis was completed according to the methods listed for each test and can be found in the Appendix. The TKN and TKP samples went through a sulfuric acid digestion to convert all forms of nitrogen and phosphorus into ammonium sulfate. The presence of the ammonium ion was determined using colorimetry. These digested samples were then analyzed using a Flow-Injection Analyzer (FIA) which uses wavelength filters to determine the concentration of ammonium ions. This instrument is also used for ammonia, nitrate, and nitrite analysis; however, these samples do not need to be digested and instead are ready for analysis following preservation. The chlorophyll determination technique was completed using Ultraviolet-Visible spectrophotometry, fluorescence spectrophotometry and high-performance liquid chromatography coupled with photodiode-array detection (HPLC-PDA). TP was completed using UV-Vis spectrophotometry. These results were then compiled into excel and "R Studio" where statistical analyses were completed.

4. Results:

Hypothesis One:

To test the first hypothesis (H(1)), a correlation analysis was used to test the relationships between the various physical, chemical, and biochemical variables collected from water samples. For the purposes of this study, the concentration of chlorophyll *a* was most important and was, therefore, considered the dependent variable (DV). Other variables that were measured from each of the water samples and which were included as independent variables (IVs) include, TKP, TKN, nitrate, pH, turbidity, RDO, and water temperature. Table 1 is a summary table that shows the correlational results for Chl *a* levels and the independent variables for testing conducted March through December of 2021.

	Chlorophyll <i>a</i> correlations										
IVs	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec	
ткр	0.23471	-0.2201	-0.0253	0.26195	0.57612	0.2071	0.03927	0.51887	0.14646	-0.0774	
ткл	0.46987	0.50395	-0.0443	0.69967	0.41496	0.10442	0.32309	0.53734	0.28383	0.39098	
Nitrate	0.3249	-0.4118	-0.2518	-0.3056	0.49469	-0.1475	-0.0938	-0.1427	0.55592	-0.2041	
pН	0.60572	0.55184	0.27659	0.56273	-0.0805	0.29424	0.40767	0.43278	0.48242	-0.5385	
Turbidity	0.69878	-0.2982	-0.0771	0.57081	0.58939	0.28251	-0.2100	0.61240	0.62992	-0.0627	
RDO	0 83952	0 47904	0 14475	0 70084	-0.0597	0 08470	0 19675	-0 1629	0 79873	-0 1711	
Тетр	NA	0.17659	NA	-1	0.83589	NA	NA	-0.0499	-0.6469	0.12284	

 Table 1. Chlorophyll a correlations summary table for March-December 2021.

The correlation analysis shows that, for March, Chl *a* concentrations had significant positive correlations of 0.8395, 0.6988, and 0.6057, with RDO, turbidity, and pH respectively (Table 1). These relationships are not as strong in April. The correlation between pH, RDO, and TKN remains positive, but with the exception of TKN, is weaker. The relationships continue to become weaker in the month of May, with only pH and RDO being weakly positively correlated. It is important to note that during the months of March-September, water temperature readings were not taken at every site. At the time of sampling during June, TKN's relationship with Chl *a* is stronger than previous months at a value of 0.6997. RDO also has a strong positive relationship, although less than what was seen in March, at 0.7008. In July, there is a strong positive relationship between temperature and Chl *a* concentrations, and slight positive relationships between Chl *a* and TKP, TKN, nitrate, and turbidity. August samples showed low positive correlations with all variables apart from nitrate.

During the fall season, September to November, the correlations remained relatively constant with a weak positive relationship between pH, but the remaining variables had different relationships between the fall months. In September, TKP had a correlation coefficient of 0.03927, while in October the relationship was stronger, although moderate, at 0.51887. In both October and November, Chl *a* had a negative relationship with temperature, but the relationship was much stronger in November at -0.6469. The full correlation results for all ten months can be found in the Appendix. These results show all of the relationships between the variables. Many months saw high correlations between nitrate concentrations and the turbidity of the water (Appendix B).

A time-series analysis using a Type III Sum of Squares estimation technique for fixed effects indicated that, not only was there a significant temporal effect, but also TKN, nitrate, pH, turbidity, and RDO were significant predictors of Chl *a* concentration. Although multicollinearity amongst the predictors makes it inappropriate to interpret the coefficients of the predictors, the inclusion of these terms in a model led to decent predictions of Chl *a* ($R^2 =$ 70.2%). The relevant F values of correlation for this time-series analysis can be seen in Table 2.

	Sum Sq	Mean Sq	NumDF	DenDF	F value	Pr(>F)
ТКР	230.3083	230.3083	1	355.9512	0.627414	0.428833
TKN	10775.91	10775.91	1	358.8039	29.35614	1.11E-07
Nitrate	7130.209	7130.209	1	354.8937	19.42438	1.39E-05
рН	2860.277	2860.277	1	221.2477	7.792073	0.005706
Turbidity	4615.742	4615.742	1	293.0768	12.57437	0.000455
RDO	1518.969	1518.969	1	351.5972	4.13803	0.04268
Date	115844.2	12871.58	9	328.3194	35.06522	4.1E-43

Table 2. Time Series Analysis of Variance (ANOVA)

Quite simply, this means that Hypothesis One, which predicts a *correlation with nutrient run-off (organic nitrogen and phosphorus)*, appears to be accurate but is very dependent upon

month (Table 1). Furthermore, it appears that while there is a moderate relationship with TKP and Chl *a* in July and October, this relationship is not as consistent as the relationship between TKN and Chl *a* (Table 1). This is further verified by the time series ANOVA, which indicates that TKN (p < 0.01), is much more important at predicting Chl *a* concentration than in TKP (p = 0.43), although the multicollinearity between the IVs in undoubtedly inflating the latter p-value and necessitates that the coefficients of the IVs should not be interpreted directly.

Sampling Month	Chl <i>a</i> Concentrations (µg/L)
March	9.4387395
April	91.398517
May	78.5855017
June	61.512187
July	53.0481658
August	65.1693906
September	67.6435644
October	44.7834373
November	18.2976415
December	9.29887669

Table 3. Average chlorophyll a concentrations per sampling trip for March through December 2021.

In addition to site-based correlational analysis, examining an aggregate interpretation of the overall behavior of the lake was done. To do this, the chlorophyll *a* averages per month, seen in Table 3, should be considered. From Table 3, a general pattern is that concentrations increase in late spring, summer, and fall, and decrease during late fall, winter, and early spring. March had an average of 9.44 μ g/L, while April had an average of 91.40 μ g/L. These concentrations remain higher in the summer, with June, at the time of sampling, having a concentration of 61.51 μ g/L. This level stays relatively consistent for the remainder of the summer, peaking at 67.64 μ g/L in September before steadily dropping to 9.30 μ g/L in December.

Hypothesis Two:

To test H(2), it was necessary to select sites that differ spatially. For this, sites 16, 32, and 33 were selected. Site 32 is the furthest North site and is close to the overflow, where water enters from the upper portion of the lake. Site 16 is within the main channel, about halfway between the other two sites. Site 33 is the closest site to the water intake that was tested all ten months. From here, the concentrations of Chl *a*, phosphorus (TKP), nitrogen (TKN and nitrate), were compared along with pH, turbidity, and conductivity. These results can be seen in Table 4. *Table 4. Monthly concentrations and field results for Sites 32, 16, and 33.*

Month	Site #	Chl <i>a</i> (μg/L)	TKP (mg P/L)	TKN (mg N/L)	Nitrate (mg N/L)	рН	Turbidity (NTU)*	RDO (mg/L)
	32	15.41378	0.248	0.667	0.784	9	17.1	15.2
March	16	11.35499	0.262	1.052	0.265	8.69	8.79	13.9
	33	4.061408	0.323	0.646	0.231	8.45	NA	12.4
	32	46.7457	0.087	1.38	4.4528	8.91	23.4	13.5
May	16	50.05855	0.052	1.563	2.2844	8.85	13.5	10.16
	33	87.23741	0.213	2.243	1.8836	8.43	10.9	9.96
	32	81.74301	0.174	1.53	2.181	9.35	12.2	32.2
July	16	58.21263	0.092	1.574	0.872	9.39	8.3	30.1
	33	47.8538	0.17	1.884	0.709	9.29	6.57	29.9
	32	107.8614	2.17	7.758	0.0753	8.89	14.5	24.3
October	16	30.02693	0.058	0.912	0.0839	7.85	7.09	23.5
	33	53.85615	0.022	0.661	0.094	7.69	10.2	23.2
	32	8.735366	0	0.759	1.0027	7.92	15.9	10.93
December	16	7.435258	0.067	0.771	0.6903	8	10.8	10.36
	33	12.75031	0.107	0.864	0.83	7.24	14.7	10.01

*Nephelometric Turbidity Units

In comparing the sites within the same month, variation is evident. In May, *site 32* had 46.7457 μ g/L of Chl *a*, while *16* had 50.05855 μ g/L and *33* had 87.237 41 μ g/L (Table 4). This variation in Chl *a* continued between months as site *32* in October had 107.8614 μ g/L, while *16* and *33* had 30.02693 μ g/L and 53.8615 μ g/L respectively (Table 4). The implication of the acceptance of the second hypothesis is that *Comprehensive testing* (more than a single sites) *can be used to allow the Water Board to predict and manage HABs because there are substantial differences of pollutants* (ammonia, nitrite, nitrate) *by location of lake and time of year*.

This variation was present within nitrate concentrations, with all months excluding October, having higher concentrations at *site 32* when compared to *16* and *33*. From Table 4, it is evident that pH largely remained consistent throughout the lake, but turbidity differed between sites and between months. While additional statistical analyses (e.g. multivariate classification techniques) are needed, the take home message of this study and its two hypotheses is that water quality is dependent upon both spatial and temporal factors, both of which are not always accounted for in current water quality monitoring requirements. These results explicitly demand the need for legislation on and about freshwater algal blooms in agriculturally rich Mid-Western states. The rationale of this study was to examine different monitoring techniques that provide cost-efficient and manageable solutions so that water facilities are equipped with the tools to best manage water.

5. Discussion:

The data shows significant relationships between concentrations of Chl *a* and nutrients. These relationships have stronger correlations in April through October. This time frame is understandable due to the application of nutrient-dense fertilizer and increased rates of precipitation in early spring, which then lead to the summer months where the temperatures are

ideal for growth. Then in fall, as temperatures cool, the upper surface water cools and becomes denser which causes a lake turnover. This turnover results in mixing of the water column and brings nutrients, that had settled to the bottom, up to the surface, leading to algal blooms. This can be seen in the monthly Chl *a* averages, as April saw significant Chl *a* concentrations leading into the summer, as well as high concentrations in September and October, when the water column is mixing. The decrease in Chl *a* concentrations in July may be explained by the time frame from when a bloom occurred to when sampling was completed. The OLWC recorded an algal bloom a few days prior to sampling, this could mean that a significant algal die-off occurred, and therefore resulted in lower Chl *a* concentrations. The OLWC was able to continue to supply water during this time and it is unclear if the bloom was reported to consumers.

In addition to the monthly averages and correlations, the location of sampling has a significant impact on the amount of nutrient contamination and Chl *a* levels. This is especially seen April through October (Table 4). This is likely due to several factors, including, closeness to shore, depth, amount of water movement, and the nearby environment. Closeness to the shoreline means that the site is a more 'direct' target of nutrient runoff, and the shallower a site, the less variability due to temperature and less separation of contamination. The amount of water flow plays a significant role in algal growth as algae prefer stagnant water. The nearby environment has impacts on the type of pollution as well as the amounts that enter the water, the effects from roads, cattle, and cropland, are different. The findings of this research strongly suggest that these factors influence algal blooms. It was found that nutrient pollution and Chl *a* concentrations were higher closer to shorelines, in more shallow water and lower flow rates.

While the OLWC currently has some BMPs in place, like stone retaining walls to reduce erosion and water stratifiers throughout the lake, the lake still suffers from high amounts of

nutrient runoff and algae. However, when looking at the annual water quality reports from the OLWC, this is not made clear. Currently, the IEPA requires POTWs to test water quality at one location of the lake every month, however the reported value can be the annual average. The findings of this research show that the concentrations of nutrients and chlorophyll a can differ greatly throughout the year, and therefore, the reporting of a single annual average does not give an accurate comprehensive representation of the water quality of a lake.

The prevalence of HABs and continued water impairment in the United States reveal the lapses in the CWA and SDWA when it comes to the protection of surface waters. The current environmental policies at the state and federal level are not properly equipped with the legislative or economic power to provide meaningful requirements, such as multi-site water testing or water agitators. However, the framework created under the Harmful Algal Bloom and Hypoxia Research and Control Act could be used as a model to facilitate scientific investigation of Freshwater HABs while holding local authorities and the EPA accountable for the regulation of potable water. Environmental impact reports are crucial in both monitoring and assessing the risk of our local water sources for recreation, drinking safety, and economy. Nationwide surveillance of the occurrence of cyanobacteria and its effects on human, animal and ecosystem health are needed at different times of year. This is especially important during agricultural growing seasons and warmer weather when most humans would interact with impaired water sources. Additional research is needed on the impact of inhalation of microscopic cyanobacteria, as exposure to contaminated water can occur recreationally, in agriculture, sewage systems, or irrigation. Research is also needed on dermal exposure, specifically the impact of small dosages on humans and animals due to constant exposure.

The EPA can work with Congress and its scientist lead task force to create regulations, education, recommendations, and policy in accordance with the Freshwater HAB Act. This would provide multiple levels of accountability at a private and state level. Protecting our water sources is an essential component of sustainable economic development of aquatic resources in the United States. There is currently no legislation for freshwater comparable to the Harmful Algal Bloom and Hypoxia Research and Control Act, which is targeted toward coastal and ocean waters, but similar legislation for freshwater would facilitate prevention and mitigation of HABs. Due to the construction of environmental regulation, this will need to come from the EPA first. The CWA and the SDWA give the EPA regulatory control over the nation's waters, and therefore they must be the initiator in policy implementation. Like the SDWA, new legislation can stipulate for competitive funding, to ensure qualified institutions are engaged in research. International institutions should be able to apply for funding, as many countries will experience the same types of blooms in their water systems due to agricultural runoff. The funding given to industry research could be used by the EPA to initiate policy determination within Congress.

Prevention research would require cooperation from the agriculture industry, as well as inter-governmental participation. To reduce nutrient loads in affected areas, a green chemistry approach to the utilization of phosphorous or synthetic alternatives could create a closed loop cycle minimizing nutrient runoff. While eutrophication is common in any natural lake, those used by humans must be closely monitored and protected from this process to minimize the risk of HABs and water impairment. One approach to minimize the chance of eutrophication is to use artificial water stratifiers to mix different water columns to help prevent hypoxic zones, thereby disturbing the HAB position in the water column and inhibiting its nutrient allocation, especially in locations of the surface waters that are more likely to see blooms. Research on the chemical

and biological effects on cyanobacteria can help understanding of how this process can be utilized in lake management to prevent HABs, in addition to its primary function of oxygenation (Yu et al. 2015). Autonomous underwater drones can map and identify algae blooms during a bloom period to further understand ideal conditions for HAB growth. Expanded Polymerase Chain Reaction testing of algae could provide real-time species identification (Antonella and Luca 2013). In conclusion, the Clean Water Act could provide both public salience and government financial support to prevention research, as nutrient loading and toxic water systems fall under this legislation.

Acknowledgements:

The coauthors of this paper thank the Otter Lake Water Commission for their participation in this study. We thank Dr. Carolyn Butts-Wilmsmeyer (Southern Illinois University Edwardsville) for aiding in the statistical analysis. We thank the following graduate students: Elise Jankowski, Richard Sauls, Shea Hastings, and Kristin Racoosin for their work in completing this research. We thank the Undergraduate Research and Creative Activities program at Southern Illinois University Edwardsville, for providing funding and support.

6. Bibliography

- Antonella, Penna, and Galluzzi Luca. 2013. "The Quantitative Real-Time PCR Applications in the Monitoring of Marine Harmful Algal Bloom (HAB) Species." *Environmental Science and Pollution Research* 20(10): 6851–62.
- Bertani, Isabella et al. 2016. "Probabilistically Assessing the Role of Nutrient Loading in Harmful Algal Bloom Formation in Western Lake Erie." *Journal of Great Lakes Research* 42(6): 1184–92.
- Bruce, Louise C. et al. 2006. "A Numerical Simulation of the Role of Zooplankton in C, N and P Cycling in Lake Kinneret, Israel." *Ecological Modelling* 193(3–4): 412–36.
- Coffey, Rory et al. 2019. "A Review of Water Quality Responses to Air Temperature and Precipitation Changes 2: Nutrients, Algal Blooms, Sediment, Pathogens." *JAWRA Journal of the American Water Resources Association* 55(4): 844–68.

 Environmental Protection Agency. 2003. Announcement of Regulatory Determinations for Priority Contaminants on the Drinking Water Contaminant Candidate List.
 Environmental Protection Agency. Notice.
 https://www.federalregister.gov/documents/2003/07/18/03-18151/announcement-ofregulatory-determinations-for-priority-contaminants-on-the-drinking-water.

- EPA. 2012. "What Is a New or Revised Water Quality Standard Under CWA 303(c)(3)?"
 2021. "Learn About the Unregulated Contaminant Monitoring Rule." *EPA: United States Environmental Protection Agency*. https://www.epa.gov/dwucmr/learn-about-unregulated-contaminant-monitoring-rule (February 24, 2022).
- Erol, Ayten, and Timothy O. Randhir. 2013. "Watershed Ecosystem Modeling of Land-Use Impacts on Water Quality." *Ecological Modelling* 270: 54–63.
- Florida Department of Health. "HABs: Harmful Algal Blooms." *Florida Health*. http://www.floridahealth.gov/environmental-health/aquatic-toxins/harmful-algaeblooms/index.html (March 20, 2021).
- Freeman, Kris S. 2010. "HARMFUL ALGAL BLOOMS: Musty Warnings of Toxicity." *Environmental Health Perspectives* 118(11).

https://ehp.niehs.nih.gov/doi/10.1289/ehp.118-a473 (February 12, 2022).

- Holsinger, Hannah, Kenneth Roter, Lili Wang, and Rachel Carlson. 2015. *Recommendations for Public Water Systems to Manage Cyanotoxins in Drinking Water*. Office of Water: Environmental Protection Agency.
- Humphreys, Elena H., and Mary Tiemann. 2021. *Safe Drinking Water Act (SDWA): A Summary of the Act and Its Major Requirements*. https://sgp.fas.org/crs/misc/RL31243.pdf (August 30, 2021).
- Ibelings, Bas W. et al. 2003. "FUZZY MODELING OF CYANOBACTERIAL SURFACE WATERBLOOMS: VALIDATION WITH NOAA-AVHRR SATELLITE IMAGES." *Ecological Applications* 13(5): 1456–72.
- Jankowiak, Jennifer et al. 2019. "Deciphering the Effects of Nitrogen, Phosphorus, and Temperature on Cyanobacterial Bloom Intensification, Diversity, and Toxicity in Western Lake Erie." *Limnology and Oceanography* 64(3): 1347–70.
- Keiser, David A., Catherine L. Kling, and Joseph S. Shapiro. 2019. "The Low but Uncertain Measured Benefits of US Water Quality Policy." *Proceedings of the National Academy* of Sciences 116(12): 5262–69.

- Lippsett, Lonny, and Michael Carlowicz. 2008. "Researchers Successfully Forecast 2008 Red Tide. New Tool Provides Early Warning of Harmful Algal Bloom along New England Coast." https://www.whoi.edu/oceanus/feature/researchers-successfully-forecast-2008red-tide/.
- Liu, Jutao, and Shaowen Fang. 2017. "Comprehensive Evaluation of the Potential Risk from Cyanobacteria Blooms in Poyang Lake Based on Nutrient Zoning." *Environmental Earth Sciences* 76(9): 342.
- Liu, T, R Bruins, and M Heberling. 2018. "Factors Influencing Farmers' Adoption of Best Management Practices: A Review and Synthesis." *Sustainability* 10(2): 432.
- Louisiana Department of Health. 2019. "Health Department Issues Advisory for Large Algal Bloom on Lake Pontchartrain." *Louisiana Department of Health*. https://ldh.la.gov/index.cfm/newsroom/detail/5177 (March 20, 2021).
- Marcillo, Cristina E., and Leigh-Anne H. Krometis. 2019. "Small Towns, Big Challenges: Does Rurality Influence Safe Drinking Water Act Compliance?" *AWWA Water Science* 1(1). https://onlinelibrary.wiley.com/doi/10.1002/aws2.1120 (November 29, 2021).
- "National Plan for Algal Toxins and Harmful Algal Blooms." 2005. *Ecological Society of America*. https://www.esa.org/HARRNESS/.
- Northwater Consulting. 2018. Otter Lake Watershed Implementation Plan. . Final Report.
- Office of Water. 2020. "Revisions to the Unregulated Contaminant Monitoring Rule (UCMR 5) for Public Water Systems [Fact Sheet for the Proposed Rule]." https://www.epa.gov/sites/default/files/2021-01/documents/ucmr5-proposal-factsheetdraft.pdf (December 14, 2021).
- Oxenford, Jeff L., and Joy M. Barrett. 2016. "Understanding Small Water System Violations and Deficiencies." *Journal American Water Works Association* 108: 31–37.
- Reimer, Adam P., Riva C. H. Denny, and Diana Stuart. 2018. "The Impact of Federal and State Conservation Programs on Farmer Nitrogen Management." *Environmental Management* 62(4): 694–708.
- Rousso, Benny Zuse, Edoardo Bertone, Rodney Stewart, and David P. Hamilton. 2020. "A Systematic Literature Review of Forecasting and Predictive Models for Cyanobacteria Blooms in Freshwater Lakes." *Water Research* 182: 115959.
- Sadegh, Ahmed Sidi et al. 2021. Seasonal Occurrence of Cyanobacteria and First Detection of Microcystin-LR in Water Column of Foum-Gleita Reservoir, Mauritania. In Review. preprint. https://www.researchsquare.com/article/rs-1010774/v1 (November 28, 2021).
- Sheng, Hu et al. 2012. "Analysis of Cyanobacteria Bloom in the Waihai Part of Dianchi Lake, China." *Ecological Informatics* 10: 37–48.
- Stade, Kristen. 2018. "America Losing the War for Clean Water." https://peer.org/americalosing-the-war-for-clean-water/ (April 25, 2021).
- Switzer, David. 2019. "Citizen Partisanship, Local Government, and Environmental Policy Implementation." Urban Affairs Review 55(3): 675–702.
- Tanber, George. 2014. "Toxin Leaves 500,000 in Northwest Ohio without Drinking Water." *Reuters*. https://www.reuters.com/article/us-usa-water-ohio/toxin-leaves-500000-innorthwest-ohio-without-drinking-water-idUSKBN0G20L120140802 (March 21, 2020).
- The United States Environmental Protection Agency. 2017. Drinking Water State Revolving Fund Eligibility Handbook. Washington.
- US EPA. 2014. "Mississippi River/Gulf of Mexico Hypoxia Task Force." *EPA*. https://www.epa.gov/ms-htf (December 6, 2018).

- U.S. National Office for Harmful Algal Blooms. "Federal Legislation Related to HAB Research and Management." *Harmful Algae*. https://hab.whoi.edu/research/legislation/.
- Van Houtven, George L, Smita B Brunnermeier, and Mark C Buckley. 2000. "A Retrospective Assessment of the Costs of the Clean Water Act: 1972 to 1997; US Environmental Protection Agency Office of Water Office of Policy." *Economics, and Innovation: Washington, DC, USA*.
- Watson, Susan B. et al. 2016. "The Re-Eutrophication of Lake Erie: Harmful Algal Blooms and Hypoxia." *Harmful Algae* 56: 44–66.
- West, Paul C., Reinette Biggs, Bruce A. McKenney, and Chad Monfreda. 2013. "Feeding the World and Protecting Biodiversity." In *Encyclopedia of Biodiversity*, Elsevier, 426–34. https://linkinghub.elsevier.com/retrieve/pii/B9780123847195003385 (October 10, 2021).
- Wever, Aaike De et al. 2007. "Differential Response of Phytoplankton to Additions of Nitrogen, Phosphorus and Iron in Lake Tanganyika." *Freshwater Biology* 0(0): 071004210218002-???
- Yu, Zheng et al. 2015. "Effects of Water Stratification and Mixing on Microbial Community Structure in a Subtropical Deep Reservoir." *Scientific Reports* 4(1): 5821.
- Zarkin, Michael. 2015. "Unconventional Pollution Control Politics: The Reformation of the US Safe Drinking Water Act." *Electronic Green Journal* 1(38). https://escholarship.org/uc/item/69s0f9s0 (December 5, 2021).

7. Appendix



Appendix A. Site-Labeled Map of Otter Lake. Generated by Nick Milner at GeoMARC

3/4/2021	Chl a	ТКР	TKN	Nitrate	pН	Turbidity	RDO	Temp
Chl a	1.00000	0.23471	0.46987	0.32490	0.60571	0.69878	0.83952	NA
ТКР	0.23471	1.00000	0.09017	0.06396	0.22501	0.25165	0.22791	NA
TKN	0.46987	0.09017	1.00000	0.36145	0.48924	0.55505	0.44223	NA
Nitrate	0.32490	0.06396	0.36145	1.00000	0.34305	0.73305	0.23444	NA
рН	0.60571	0.22501	0.48924	0.34305	1.00000	0.60746	0.57552	NA
Turbidity	0.69878	0.25165	0.55505	0.73305	0.60746	1.00000	0.65876	NA
RDO	0.83952	0.22791	0.44223	0.23444	0.57552	0.65876	1.00000	NA
Temp	NA	NA	NA	NA	NA	NA	NA	NA
4/13/2021	Chl a	ТКР	TKN	Nitrate	pН	Turbidity	RDO	Тетр
Chl a	1.00000	-0.22013	0.50395	-0.41175	0.55184	-0.29819	0.47904	0.17659
ТКР	-0.22013	1.00000	-0.09666	0.43746	-0.39349	0.39317	-0.37576	0.29177
TKN	0.50395	-0.09666	1.00000	-0.52700	0.57433	-0.47359	0.56499	-0.38355
Nitrate	-0.41175	0.43746	-0.52700	1.00000	-0.89321	0.92381	-0.77377	0.31154
рН	0.55184	-0.39349	0.57433	-0.89321	1.00000	-0.83414	0.89649	-0.07457
Turbidity	-0.29819	0.39317	-0.47359	0.92381	-0.83414	1.00000	-0.72844	0.32652
RDO	0.47904	-0.37576	0.56499	-0.77377	0.89649	-0.72844	1.00000	-0.05417
Тетр	0.17659	0.29177	-0.38355	0.31154	-0.07457	0.32652	-0.05417	1.00000
5/7/2021	Chl a	ТКР	TKN	Nitrate	pН	Turbidity	RDO	Temp
5/7/2021 Chl <i>a</i>	Chl <i>a</i> 1.00000	TKP -0.02525	TKN -0.04431	Nitrate -0.25178	рН 0.27659	Turbidity -0.07709	RDO 0.14475	Temp NA
5/7/2021 Chl <i>a</i> TKP	Chl <i>a</i> 1.00000 -0.02525	TKP -0.02525 1.00000	TKN -0.04431 0.55286	Nitrate -0.25178 0.15175	pH 0.27659 -0.48803	Turbidity -0.07709 0.18193	RDO 0.14475 -0.15683	Temp NA NA
5/7/2021 Chl <i>a</i> TKP TKN	Chl a 1.00000 -0.02525 -0.04431	TKP -0.02525 1.00000 0.55286	TKN -0.04431 0.55286 1.00000	Nitrate -0.25178 0.15175 -0.24364	pH 0.27659 -0.48803 -0.20449	Turbidity -0.07709 0.18193 -0.19794	RDO 0.14475 -0.15683 -0.10676	Temp NA NA NA
5/7/2021 Chl <i>a</i> TKP TKN Nitrate	Chl a 1.00000 -0.02525 -0.04431 -0.25178	TKP -0.02525 1.00000 0.55286 0.15175	TKN -0.04431 0.55286 1.00000 -0.24364	Nitrate -0.25178 0.15175 -0.24364 1.00000	pH 0.27659 -0.48803 -0.20449 0.19593	Turbidity -0.07709 0.18193 -0.19794 0.84303	RDO 0.14475 -0.15683 -0.10676 0.09948	Temp NA NA NA NA
5/7/2021 Chl <i>a</i> TKP TKN Nitrate pH	Chl a 1.00000 -0.02525 -0.04431 -0.25178 0.27659	TKP -0.02525 1.00000 0.55286 0.15175 -0.48803	TKN -0.04431 0.55286 1.00000 -0.24364 -0.20449	Nitrate -0.25178 0.15175 -0.24364 1.00000 0.19593	pH 0.27659 -0.48803 -0.20449 0.19593 1.00000	Turbidity -0.07709 0.18193 -0.19794 0.84303 0.25060	RDO 0.14475 -0.15683 -0.10676 0.09948 0.32337	Temp NA NA NA NA NA
5/7/2021 Chl <i>a</i> TKP TKN Nitrate pH Turbidity	Chl a 1.00000 -0.02525 -0.04431 -0.25178 0.27659 -0.07709	TKP -0.02525 1.00000 0.55286 0.15175 -0.48803 0.18193	TKN -0.04431 0.55286 1.00000 -0.24364 -0.20449 -0.19794	Nitrate -0.25178 0.15175 -0.24364 1.00000 0.19593 0.84303	pH 0.27659 -0.48803 -0.20449 0.19593 1.00000 0.25060	Turbidity -0.07709 0.18193 -0.19794 0.84303 0.25060 1.00000	RDO 0.14475 -0.15683 -0.10676 0.09948 0.32337 0.16843	Temp NA NA NA NA NA NA
5/7/2021 Chl <i>a</i> TKP TKN Nitrate pH Turbidity RDO	Chl a 1.00000 -0.02525 -0.04431 -0.25178 0.27659 -0.07709 0.14475	TKP -0.02525 1.00000 0.55286 0.15175 -0.48803 0.18193 -0.15683	TKN -0.04431 0.55286 1.00000 -0.24364 -0.20449 -0.19794 -0.10676	Nitrate -0.25178 0.15175 -0.24364 1.00000 0.19593 0.84303 0.09948	pH 0.27659 -0.48803 -0.20449 0.19593 1.00000 0.25060 0.32337	Turbidity -0.07709 0.18193 -0.19794 0.84303 0.25060 1.00000 0.16843	RDO 0.14475 -0.15683 -0.10676 0.09948 0.32337 0.16843 1.00000	Temp NA NA NA NA NA NA NA
5/7/2021 Chl <i>a</i> TKP TKN Nitrate pH Turbidity RDO Temp	Chl a 1.00000 -0.02525 -0.04431 -0.25178 0.27659 -0.07709 0.14475 NA	TKP -0.02525 1.00000 0.55286 0.15175 -0.48803 0.18193 -0.15683 NA	TKN -0.04431 0.55286 1.00000 -0.24364 -0.20449 -0.19794 -0.10676 NA	Nitrate -0.25178 0.15175 -0.24364 1.00000 0.19593 0.84303 0.09948 NA	pH 0.27659 -0.48803 -0.20449 0.19593 1.00000 0.25060 0.32337 NA	Turbidity -0.07709 0.18193 -0.19794 0.84303 0.25060 1.00000 0.16843 NA	RDO 0.14475 -0.15683 -0.10676 0.09948 0.32337 0.16843 1.00000 NA	TempNANANANANANANANANANANA
5/7/2021 Chl <i>a</i> TKP TKN Nitrate pH Turbidity RDO Temp	Chl a 1.00000 -0.02525 -0.04431 -0.25178 0.27659 -0.07709 0.14475 NA Chl a	TKP -0.02525 1.00000 0.55286 0.15175 -0.48803 0.18193 -0.15683 NA TKP	TKN -0.04431 0.55286 1.00000 -0.24364 -0.20449 -0.19794 -0.10676 NA TKN	Nitrate -0.25178 0.15175 -0.24364 1.00000 0.19593 0.84303 0.09948 NA Nitrate	pH 0.27659 -0.48803 -0.20449 0.19593 1.00000 0.25060 0.32337 NA pH	Turbidity -0.07709 0.18193 -0.19794 0.84303 0.25060 1.00000 0.16843 NA Turbidity	RDO 0.14475 -0.15683 -0.10676 0.09948 0.32337 0.16843 1.00000 NA RDO	TempNANANANANANANANANATemp
5/7/2021 Chl <i>a</i> TKP TKN Nitrate pH Turbidity RDO Temp 6/4/2021 Chl <i>a</i>	Chl a 1.00000 -0.02525 -0.04431 -0.25178 0.27659 -0.07709 0.14475 NA Chl a 1.00000	TKP -0.02525 1.00000 0.55286 0.15175 -0.48803 0.18193 -0.15683 NA TKP 0.26195	TKN -0.04431 0.55286 1.00000 -0.24364 -0.20449 -0.19794 -0.10676 NA TKN 0.69967	Nitrate -0.25178 0.15175 -0.24364 1.00000 0.19593 0.84303 0.09948 NA Nitrate -0.30558	pH 0.27659 -0.48803 -0.20449 0.19593 1.00000 0.25060 0.32337 NA pH 0.56274	Turbidity -0.07709 0.18193 -0.19794 0.84303 0.25060 1.00000 0.16843 NA Turbidity 0.57081	RDO 0.14475 -0.15683 -0.10676 0.09948 0.32337 0.16843 1.00000 NA RDO 0.70084	Temp NA
5/7/2021 Chl <i>a</i> TKP TKN Nitrate pH Turbidity RDO Temp 6/4/2021 Chl <i>a</i> TKP	Chl a 1.00000 -0.02525 -0.04431 -0.25178 0.27659 -0.07709 0.14475 NA Chl a 1.00000 0.26195	TKP -0.02525 1.00000 0.55286 0.15175 -0.48803 0.18193 -0.15683 NA TKP 0.26195 1.00000	TKN -0.04431 0.55286 1.00000 -0.24364 -0.20449 -0.19794 -0.10676 NA TKN 0.69967 -0.15839	Nitrate -0.25178 0.15175 -0.24364 1.00000 0.19593 0.84303 0.09948 NA Nitrate -0.30558 -0.23053	pH 0.27659 -0.48803 -0.20449 0.19593 1.00000 0.25060 0.32337 NA pH 0.56274 0.30412	Turbidity -0.07709 0.18193 -0.19794 0.84303 0.25060 1.00000 0.16843 NA Turbidity 0.57081 0.09745	RDO 0.14475 -0.15683 -0.10676 0.09948 0.32337 0.16843 1.00000 NA RDO 0.70084 0.20020	Temp NA NA
5/7/2021 Chl a TKP TKN Nitrate pH Turbidity RDO Temp 6/4/2021 Chl a TKP TKN	Chl a 1.00000 -0.02525 -0.04431 -0.25178 0.27659 -0.07709 0.14475 NA Chl a 1.00000 0.26195 0.69967	TKP -0.02525 1.00000 0.55286 0.15175 -0.48803 0.18193 -0.15683 NA TKP 0.26195 1.00000 -0.15839	TKN -0.04431 0.55286 1.00000 -0.24364 -0.20449 -0.19794 -0.10676 NA TKN 0.69967 -0.15839 1.00000	Nitrate -0.25178 0.15175 -0.24364 1.00000 0.19593 0.84303 0.09948 NA Nitrate -0.30558 -0.23053 -0.28549	pH 0.27659 -0.48803 -0.20449 0.19593 1.00000 0.25060 0.32337 NA pH 0.56274 0.30412 0.50786	Turbidity -0.07709 0.18193 -0.19794 0.84303 0.25060 1.00000 0.16843 NA Turbidity 0.57081 0.09745 0.59545	RDO 0.14475 -0.15683 -0.10676 0.09948 0.32337 0.16843 1.00000 NA RDO 0.70084 0.20020 0.58671	Temp NA NA
5/7/2021 Chl <i>a</i> TKP TKN Nitrate pH Turbidity RDO Temp 6/4/2021 Chl <i>a</i> TKP TKN Nitrate	Chl a 1.00000 -0.02525 -0.04431 -0.25178 0.27659 -0.07709 0.14475 NA Chl a 1.00000 0.26195 0.69967 -0.30558	TKP -0.02525 1.00000 0.55286 0.15175 -0.48803 0.18193 -0.15683 NA TKP 0.26195 1.00000 -0.15839 -0.23053	TKN -0.04431 0.55286 1.00000 -0.24364 -0.20449 -0.19794 -0.10676 NA TKN 0.69967 -0.15839 1.00000 -0.28549	Nitrate -0.25178 0.15175 -0.24364 1.00000 0.19593 0.84303 0.09948 NA Nitrate -0.30558 -0.23053 -0.28549 1.00000	pH 0.27659 -0.48803 -0.20449 0.19593 1.00000 0.25060 0.32337 NA pH 0.56274 0.30412 0.50786 -0.67052	Turbidity -0.07709 0.18193 -0.19794 0.84303 0.25060 1.00000 0.16843 NA Turbidity 0.57081 0.09745 0.59545 0.03415	RDO 0.14475 -0.15683 -0.10676 0.09948 0.32337 0.16843 1.00000 NA RDO 0.70084 0.20020 0.58671 -0.48771	Temp NA 1.000000 -1.000000
5/7/2021 Chl <i>a</i> TKP TKN Nitrate pH Turbidity RDO Temp 6/4/2021 Chl <i>a</i> TKP TKN Nitrate pH	Chl a 1.00000 -0.02525 -0.04431 -0.25178 0.27659 -0.07709 0.14475 NA Chl a 1.00000 0.26195 0.69967 -0.30558 0.56274	TKP -0.02525 1.00000 0.55286 0.15175 -0.48803 0.18193 -0.15683 NA TKP 0.26195 1.00000 -0.15839 -0.23053 0.30412	TKN -0.04431 0.55286 1.00000 -0.24364 -0.20449 -0.19794 -0.10676 NA TKN 0.69967 -0.15839 1.00000 -0.28549 0.50786	Nitrate -0.25178 0.15175 -0.24364 1.00000 0.19593 0.84303 0.09948 NA Nitrate -0.230558 -0.28549 1.00000	pH 0.27659 -0.48803 -0.20449 0.19593 1.00000 0.25060 0.32337 NA pH 0.56274 0.30412 0.50786 -0.67052 1.00000	Turbidity -0.07709 0.18193 -0.19794 0.84303 0.25060 1.00000 0.16843 NA Turbidity 0.57081 0.09745 0.59545 0.03415 0.32395	RDO 0.14475 -0.15683 -0.10676 0.09948 0.32337 0.16843 1.00000 NA RDO 0.70084 0.20020 0.58671 -0.48771 0.60948	Temp NA 1.00000 1.00000 1.00000
5/7/2021Chl aTKPTKNNitratepHTurbidityRDOTemp6/4/2021Chl aTKPTKNNitratepHDUrbidity	Chl a 1.00000 -0.02525 -0.04431 -0.25178 0.27659 -0.07709 0.14475 NA Chl a 1.00000 0.26195 0.69967 -0.30558 0.56274 0.57081	TKP -0.02525 1.00000 0.55286 0.15175 -0.48803 0.18193 -0.15683 NA TKP 0.26195 1.00000 -0.15839 -0.23053 0.30412 0.09745	TKN -0.04431 0.55286 1.00000 -0.24364 -0.20449 -0.19794 -0.10676 NA TKN 0.69967 -0.15839 1.00000 -0.28549 0.50786 0.59545	Nitrate -0.25178 0.15175 -0.24364 1.00000 0.19593 0.84303 0.09948 NA Nitrate -0.23053 -0.28549 1.00000 -0.67052 0.03415	pH 0.27659 -0.48803 -0.20449 0.19593 1.00000 0.25060 0.32337 NA pH 0.56274 0.30412 0.50786 -0.67052 1.00000 0.32395	Turbidity -0.07709 0.18193 -0.19794 0.84303 0.25060 1.00000 0.16843 NA Turbidity 0.57081 0.09745 0.59545 0.03415 0.32395 1.00000	RDO 0.14475 -0.15683 -0.10676 0.09948 0.32337 0.16843 1.00000 NA RDO 0.70084 0.20020 0.58671 -0.48771 0.60948 0.39771	Temp NA 1.000000 1.000000 1.000000
5/7/2021 Chl <i>a</i> TKP TKN Nitrate pH Turbidity RDO Temp 6/4/2021 Chl <i>a</i> TKP TKN Nitrate pH Turbidity RDO	Chl a 1.00000 -0.02525 -0.04431 -0.25178 0.27659 -0.07709 0.14475 NA Chl a 1.00000 0.26195 0.69967 -0.30558 0.56274 0.70084	TKP -0.02525 1.00000 0.55286 0.15175 -0.48803 0.18193 -0.15683 NA TKP 0.26195 1.00000 -0.15839 -0.23053 0.30412 0.09745 0.20020	TKN -0.04431 0.55286 1.00000 -0.24364 -0.20449 -0.19794 -0.10676 NA TKN 0.69967 -0.15839 1.00000 -0.28549 0.50786 0.59545 0.58671	Nitrate -0.25178 0.15175 -0.24364 1.00000 0.19593 0.84303 0.09948 NA Nitrate -0.230558 -0.28549 1.00000 -0.67052 0.03415 -0.48771	pH 0.27659 -0.48803 -0.20449 0.19593 1.00000 0.25060 0.32337 NA pH 0.56274 0.30412 0.50786 -0.67052 1.00000 0.32395 0.60948	Turbidity -0.07709 0.18193 -0.19794 0.84303 0.25060 1.00000 0.16843 NA Turbidity 0.57081 0.09745 0.59545 0.03415 0.32395 1.00000 0.39771	RDO 0.14475 -0.15683 -0.10676 0.09948 0.32337 0.16843 1.00000 NA RDO 0.70084 0.20020 0.58671 -0.48771 0.60948 0.39771 1.00000	Temp NA 1.00000 1.00000 1.00000 1.00000 1.00000

Appendix B. Statistical Correlations computed in "R Studio" for March through December on Otter Lake.

7/7/2021	Chl a	ТКР	TKN	Nitrate	pН	Turbidity	RDO	Temp
Chl a	1.00000	0.57612	0.41496	0.49468	-0.08052	0.58938	-0.05972	0.83589
ТКР	0.57612	1.00000	0.54514	0.48337	-0.19818	0.52196	0.15093	0.05609
TKN	0.41496	0.54514	1.00000	0.06733	-0.23410	0.27413	-0.33857	0.22450
Nitrate	0.49468	0.48337	0.06733	1.00000	0.07352	0.73971	0.61844	-0.90569
рН	-0.08052	-0.19818	-0.23410	0.07352	1.00000	-0.15599	0.33131	-0.47849
Turbidity	0.58938	0.52196	0.27413	0.73971	-0.15599	1.00000	0.28089	0.54348
RDO	-0.05972	0.15093	-0.33857	0.61844	0.33131	0.28089	1.00000	-0.90433
Temp	0.83589	0.05609	0.22450	-0.90569	-0.47849	0.54348	-0.90433	1.00000
8/13/2021	Chl a	ТКР	TKN	Nitrate	pН	Turbidity	RDO	Temp
Chl a	1.00000	0.20711	0.10442	-0.14752	0.29424	0.28251	0.08470	NA
ТКР	0.20711	1.00000	0.39606	0.00267	0.12513	0.43445	0.17806	NA
TKN	0.10442	0.39606	1.00000	0.29296	-0.43774	-0.20240	-0.02596	NA
Nitrate	-0.14752	0.00267	0.29296	1.00000	-0.04400	-0.22538	-0.28687	NA
рН	0.29424	0.12513	-0.43774	-0.04400	1.00000	0.45237	0.14856	NA
Turbidity	0.28251	0.43445	-0.20240	-0.22538	0.45237	1.00000	0.45643	NA
RDO	0.08470	0.17806	-0.02596	-0.28687	0.14856	0.45643	1.00000	NA
Тетр	NA	NA	NA	NA	NA	NA	NA	NA
L		1						
9/10/2021	Chl a	ТКР	TKN	Nitrate	pН	Turbidity	RDO	Temp
9/10/2021 Chl <i>a</i>	Chl <i>a</i> 1.00000	TKP 0.03927	TKN 0.32309	Nitrate -0.09376	pH 0.40767	Turbidity -0.21001	RDO 0.19675	Temp NA
9/10/2021 Chl <i>a</i> TKP	Chl a 1.00000 0.03927	TKP 0.03927 1.00000	TKN 0.32309 -0.78006	Nitrate -0.09376 -0.07083	pH 0.40767 0.15672	Turbidity -0.21001 -0.11536	RDO 0.19675 0.07426	Temp NA NA
9/10/2021 Chl <i>a</i> TKP TKN	Chl a 1.00000 0.03927 0.32309	TKP 0.03927 1.00000 -0.78006	TKN 0.32309 -0.78006 1.00000	Nitrate -0.09376 -0.07083 -0.07287	pH 0.40767 0.15672 0.04548	Turbidity -0.21001 -0.11536 -0.03065	RDO 0.19675 0.07426 0.09712	Temp NA NA NA
9/10/2021 Chl a TKP TKN Nitrate	Chl a 1.00000 0.03927 0.32309 -0.09376	TKP 0.03927 1.00000 -0.78006 -0.07083	TKN 0.32309 -0.78006 1.00000 -0.07287	Nitrate -0.09376 -0.07083 -0.07287 1.00000	pH 0.40767 0.15672 0.04548 -0.06698	Turbidity -0.21001 -0.11536 -0.03065 -0.07321	RDO 0.19675 0.07426 0.09712 -0.05752	Temp NA NA NA NA
9/10/2021 Chl a TKP TKN Nitrate pH	Chl a 1.00000 0.03927 0.32309 -0.09376 0.40767	TKP 0.03927 1.00000 -0.78006 -0.07083 0.15672	TKN 0.32309 -0.78006 1.00000 -0.07287 0.04548	Nitrate -0.09376 -0.07083 -0.07287 1.00000 -0.06698	pH 0.40767 0.15672 0.04548 -0.06698 1.00000	Turbidity -0.21001 -0.11536 -0.03065 -0.07321 0.10541	RDO 0.19675 0.07426 0.09712 -0.05752 0.20266	Temp NA NA NA NA NA
9/10/2021 Chl a TKP TKN Nitrate pH Turbidity	Chl a 1.00000 0.03927 0.32309 -0.09376 0.40767 -0.21001	TKP 0.03927 1.00000 -0.78006 -0.07083 0.15672 -0.11536	TKN 0.32309 -0.78006 1.00000 -0.07287 0.04548 -0.03065	Nitrate -0.09376 -0.07083 -0.07287 1.00000 -0.06698 -0.07321	pH 0.40767 0.15672 0.04548 -0.06698 1.00000 0.10541	Turbidity -0.21001 -0.11536 -0.03065 -0.07321 0.10541 1.00000	RDO 0.19675 0.07426 0.09712 -0.05752 0.20266 -0.07829	Temp NA NA NA NA NA NA
9/10/2021 Chl <i>a</i> TKP TKN Nitrate pH Turbidity RDO	Chl a 1.00000 0.03927 0.32309 -0.09376 0.40767 -0.21001 0.19675	TKP 0.03927 1.00000 -0.78006 -0.07083 0.15672 -0.11536 0.07426	TKN 0.32309 -0.78006 1.00000 -0.07287 0.04548 -0.03065 0.09712	Nitrate -0.09376 -0.07083 -0.07287 1.00000 -0.06698 -0.07321 -0.05752	pH 0.40767 0.15672 0.04548 -0.06698 1.00000 0.10541 0.20266	Turbidity -0.21001 -0.11536 -0.03065 -0.07321 0.10541 1.00000 -0.07829	RDO 0.19675 0.07426 0.09712 -0.05752 0.20266 -0.07829 1.00000	Temp NA NA NA NA NA NA NA
9/10/2021 Chl a TKP TKN Nitrate pH Turbidity RDO Temp	Chl a 1.00000 0.03927 0.32309 -0.09376 0.40767 -0.21001 0.19675 NA	TKP 0.03927 1.00000 -0.78006 -0.07083 0.15672 -0.11536 0.07426 NA	TKN 0.32309 -0.78006 1.00000 -0.07287 0.04548 -0.03065 0.09712 NA	Nitrate -0.09376 -0.07083 -0.07287 1.00000 -0.06698 -0.07321 -0.05752 NA	pH 0.40767 0.15672 0.04548 -0.06698 1.00000 0.10541 0.20266 NA	Turbidity -0.21001 -0.11536 -0.03065 -0.07321 0.10541 1.00000 -0.07829 NA	RDO 0.19675 0.07426 0.09712 -0.05752 0.20266 -0.07829 1.00000 NA	Temp NA NA NA NA NA NA NA NA NA
9/10/2021 Chl <i>a</i> TKP TKN Nitrate pH Turbidity RDO Temp 10/8/2021	Chl a 1.00000 0.03927 0.32309 -0.09376 0.40767 -0.21001 0.19675 NA Chl a	TKP 0.03927 1.00000 -0.78006 -0.07083 0.15672 -0.11536 0.07426 NA TKP	TKN 0.32309 -0.78006 1.00000 -0.07287 0.04548 -0.03065 0.09712 NA TKN	Nitrate -0.09376 -0.07083 -0.07287 1.00000 -0.06698 -0.07321 -0.05752 NA Nitrate	pH 0.40767 0.15672 0.04548 -0.06698 1.00000 0.10541 0.20266 NA pH	Turbidity -0.21001 -0.11536 -0.03065 -0.07321 0.10541 1.00000 -0.07829 NA Turbidity	RDO 0.19675 0.07426 0.09712 -0.05752 0.20266 -0.07829 1.00000 NA RDO	TempNANANANANANANANANATemp
9/10/2021 Chl a TKP TKN Nitrate pH Turbidity RDO Temp 10/8/2021 Chl a	Chl a 1.00000 0.03927 0.32309 -0.09376 0.40767 -0.21001 0.19675 NA Chl a 1.00000	TKP 0.03927 1.00000 -0.78006 -0.07083 0.15672 -0.11536 0.07426 NA TKP 0.51887	TKN 0.32309 -0.78006 1.00000 -0.07287 0.04548 -0.03065 0.09712 NA TKN 0.53734	Nitrate -0.09376 -0.07083 -0.07287 1.00000 -0.06698 -0.07321 -0.05752 NA Nitrate -0.14274	pH 0.40767 0.15672 0.04548 -0.06698 1.00000 0.10541 0.20266 NA pH 0.43278	Turbidity -0.21001 -0.11536 -0.03065 -0.07321 0.10541 1.00000 -0.07829 NA Turbidity 0.61240	RDO 0.19675 0.07426 0.09712 -0.05752 0.20266 -0.07829 1.00000 NA RDO -0.16287	Temp NA Odd Temp -0.049933
9/10/2021 Chl a TKP TKN Nitrate pH Turbidity RDO Temp 10/8/2021 Chl a TKP	Chl a 1.00000 0.03927 0.32309 -0.09376 0.40767 -0.21001 0.19675 NA Chl a 1.00000 0.51887	TKP 0.03927 1.00000 -0.78006 -0.07083 0.15672 -0.11536 0.07426 NA TKP 0.51887 1.00000	TKN 0.32309 -0.78006 1.00000 -0.07287 0.04548 -0.03065 0.09712 NA TKN 0.53734 0.99238	Nitrate -0.09376 -0.07083 -0.07287 1.00000 -0.06698 -0.07321 -0.05752 NA Nitrate -0.14274 -0.02748	pH 0.40767 0.15672 0.04548 -0.06698 1.00000 0.10541 0.20266 NA pH 0.43278 0.42178	Turbidity -0.21001 -0.11536 -0.03065 -0.07321 0.10541 1.00000 -0.07829 NA Turbidity 0.61240 0.42478	RDO 0.19675 0.07426 0.09712 -0.05752 0.20266 -0.07829 1.00000 NA RDO -0.16287 0.01441	Temp NA NA NA NA NA NA NA NA NA OUD Temp -0.049933 0.05190
9/10/2021 Chl a TKP TKN Nitrate pH Turbidity RDO Temp 10/8/2021 Chl a TKP TKN	Chl a 1.00000 0.03927 0.32309 -0.09376 0.40767 -0.21001 0.19675 NA Chl a 1.00000 0.51887 0.53734	TKP 0.03927 1.00000 -0.78006 -0.07083 0.15672 -0.11536 0.07426 NA TKP 0.51887 1.00000 0.99238	TKN 0.32309 -0.78006 1.00000 -0.07287 0.04548 -0.03065 0.09712 NA TKN 0.53734 0.99238 1.00000	Nitrate -0.09376 -0.07083 -0.07287 1.00000 -0.06698 -0.07321 -0.05752 NA Nitrate -0.14274 -0.02748 -0.05197	pH 0.40767 0.15672 0.04548 -0.06698 1.00000 0.10541 0.20266 NA pH 0.43278 0.46331	Turbidity -0.21001 -0.11536 -0.03065 -0.07321 0.10541 1.00000 -0.07829 NA Turbidity 0.61240 0.422768	RDO 0.19675 0.07426 0.09712 -0.05752 0.20266 -0.07829 1.00000 NA RDO -0.16287 0.01441 -0.00852	Temp NA NA NA NA NA NA NA NA OA OB OB
9/10/2021 Chl a TKP TKN Nitrate pH Turbidity RDO Temp 10/8/2021 Chl a TKP TKN Nitrate	Chl a 1.00000 0.03927 0.32309 -0.09376 0.40767 -0.21001 0.19675 NA Chl a 1.00000 0.51887 0.53734 -0.14274	TKP 0.03927 1.00000 -0.78006 -0.07083 0.15672 -0.11536 0.07426 NA TKP 0.51887 1.00000 0.99238 -0.02748	TKN 0.32309 -0.78006 1.00000 -0.07287 0.04548 -0.03065 0.09712 NA TKN 0.53734 0.99238 1.00000 -0.05197	Nitrate -0.09376 -0.07083 -0.07287 1.00000 -0.06698 -0.07321 -0.05752 NA Nitrate -0.14274 -0.02748 -0.05197 1.00000	pH 0.40767 0.15672 0.04548 -0.06698 1.00000 0.10541 0.20266 NA pH 0.43278 0.42178 0.46331 -0.03320	Turbidity -0.21001 -0.11536 -0.03065 -0.07321 0.10541 1.00000 -0.07829 NA Turbidity 0.61240 0.422768 -0.00880	RDO 0.19675 0.07426 0.09712 -0.05752 0.20266 -0.07829 1.00000 NA RDO -0.16287 0.01441 -0.00852 0.91491	Temp NA NA NA NA NA NA NA NA OA OA
9/10/2021 Chl a TKP TKN Nitrate pH Turbidity RDO Temp 10/8/2021 Chl a TKP TKN Nitrate pH	Chl a 1.00000 0.03927 0.32309 -0.09376 0.40767 -0.21001 0.19675 NA Chl a 1.00000 0.51887 0.53734 -0.14274 0.43278	TKP 0.03927 1.00000 -0.78006 -0.07083 0.15672 -0.11536 0.07426 NA TKP 0.51887 1.00000 0.99238 -0.02748 0.42178	TKN 0.32309 -0.78006 1.00000 -0.07287 0.04548 -0.03065 0.09712 NA TKN 0.53734 0.99238 1.00000 -0.05197 0.46331	Nitrate -0.09376 -0.07083 -0.07287 1.00000 -0.06698 -0.07321 -0.05752 NA Nitrate -0.14274 -0.05197 1.00000 -0.03320	pH 0.40767 0.15672 0.04548 -0.06698 1.00000 0.10541 0.20266 NA pH 0.43278 0.46331 -0.03320 1.00000	Turbidity -0.21001 -0.11536 -0.03065 -0.07321 0.10541 1.00000 -0.07829 NA Turbidity 0.61240 0.422768 -0.00880 0.45627	RDO 0.19675 0.07426 0.09712 -0.05752 0.20266 -0.07829 1.00000 NA RDO -0.16287 0.01441 -0.00852 0.91491 -0.02887	Temp NA NA NA NA NA NA NA NA Output Temp -0.04993 0.05190 0.06939 -0.00608 0.39211
9/10/2021 Chl a TKP TKN Nitrate pH Turbidity RDO Temp 10/8/2021 Chl a TKP TKN Nitrate pH Turbidity	Chl a 1.00000 0.03927 0.32309 -0.09376 0.40767 -0.21001 0.19675 NA Chl a 1.00000 0.51887 0.53734 -0.14274 0.43278 0.61240	TKP 0.03927 1.00000 -0.78006 -0.07083 0.15672 -0.11536 0.07426 NA TKP 0.51887 1.00000 0.99238 -0.02748 0.42178 0.42478	TKN 0.32309 -0.78006 1.00000 -0.07287 0.04548 -0.03065 0.09712 NA TKN 0.53734 0.99238 1.00000 -0.05197 0.46331 0.42768	Nitrate -0.09376 -0.07083 -0.07287 1.00000 -0.06698 -0.07321 -0.05752 NA Nitrate -0.14274 -0.02748 -0.05197 1.00000 -0.03320 -0.00880	pH 0.40767 0.15672 0.04548 -0.06698 1.00000 0.10541 0.20266 NA pH 0.43278 0.46331 -0.03320 1.00000 0.45627	Turbidity -0.21001 -0.11536 -0.03065 -0.07321 0.10541 1.00000 -0.07829 NA Turbidity 0.61240 0.422768 -0.00880 0.45627 1.00000	RDO 0.19675 0.07426 0.09712 -0.05752 0.20266 -0.07829 1.00000 NA RDO -0.16287 0.01441 -0.00852 0.91491 -0.02887 -0.09298	Temp NA NA NA NA NA NA NA NA OU Temp -0.04993 0.05190 0.06939 -0.00608 0.39211 -0.24602
9/10/2021 Chl a TKP TKN Nitrate pH Turbidity RDO Temp 10/8/2021 Chl a TKP TKN Nitrate pH Turbidity RDO	Chl a 1.00000 0.03927 0.32309 -0.09376 0.40767 -0.21001 0.19675 NA Chl a 1.00000 0.51887 0.53734 -0.14274 0.43278 0.61240 -0.16287	TKP 0.03927 1.00000 -0.78006 -0.07083 0.15672 -0.11536 0.07426 NA TKP 0.51887 1.00000 0.99238 -0.02748 0.42178 0.01441	TKN 0.32309 -0.78006 1.00000 -0.07287 0.04548 -0.03065 0.09712 NA TKN 0.53734 0.99238 1.00000 -0.05197 0.46331 0.42768 -0.00852	Nitrate -0.09376 -0.07083 -0.07287 1.00000 -0.06698 -0.07321 -0.05752 NA Nitrate -0.14274 -0.05197 1.00000 -0.03320 -0.00880 0.91491	pH 0.40767 0.15672 0.04548 -0.06698 1.00000 0.10541 0.20266 NA pH 0.43278 0.46331 -0.03320 1.00000 0.45627 -0.02887	Turbidity -0.21001 -0.11536 -0.03065 -0.07321 0.10541 1.00000 -0.07829 NA Turbidity 0.61240 0.422768 -0.00880 0.45627 1.00000 -0.09298	RDO 0.19675 0.07426 0.09712 -0.05752 0.20266 -0.07829 1.00000 NA RDO -0.16287 0.01441 -0.00852 0.91491 -0.02887 -0.09298 1.00000	Temp NA NA NA NA NA NA NA NA Output Temp -0.04993 0.05190 0.06939 -0.00608 0.39211 -0.24602 0.20323

11/12/2021	Chl a	ТКР	TKN	Nitrate	pН	Turbidity	RDO	Temp
Chl a	1.00000	0.14646	0.28383	0.55592	0.48242	0.62992	0.79872	-0.64693
ТКР	0.14646	1.00000	0.16888	0.06099	0.03640	0.00721	0.07081	0.05659
TKN	0.28383	0.16888	1.00000	0.19481	0.14215	0.22957	0.24018	-0.26220
Nitrate	0.55592	0.06099	0.19481	1.00000	0.13837	0.46346	0.32423	-0.57236
рН	0.48242	0.03640	0.14215	0.13837	1.00000	0.05194	0.81989	-0.67061
Turbidity	0.62992	0.00721	0.22957	0.46346	0.05194	1.00000	0.31548	-0.38645
RDO	0.79872	0.07081	0.24018	0.32423	0.81989	0.31548	1.00000	-0.71882
Temp	-0.64693	0.05659	-0.26220	-0.57236	-0.67061	-0.38645	-0.71882	1.00000
12/3/2021	Chl a	ТКР	TKN	Nitrate	pН	Turbidity	RDO	Temp
12/3/2021 Chl <i>a</i>	Chl <i>a</i> 1.00000	TKP -0.07741	TKN 0.39098	Nitrate -0.20411	рН -0.53850	Turbidity -0.06270	RDO -0.17112	Temp 0.12284
12/3/2021 Chl <i>a</i> TKP	Chl <i>a</i> 1.00000 -0.07741	TKP -0.07741 1.00000	TKN 0.39098 0.05550	Nitrate -0.20411 -0.12724	pH -0.53850 -0.10380	Turbidity -0.06270 0.24133	RDO -0.17112 -0.17474	Temp 0.12284 -0.12919
12/3/2021 Chl <i>a</i> TKP TKN	Chl <i>a</i> 1.00000 -0.07741 0.39098	TKP -0.07741 1.00000 0.05550	TKN 0.39098 0.05550 1.00000	Nitrate -0.20411 -0.12724 -0.09692	pH -0.53850 -0.10380 -0.17227	Turbidity -0.06270 0.24133 -0.16737	RDO -0.17112 -0.17474 -0.13700	Temp 0.12284 -0.12919 -0.03279
12/3/2021 Chl <i>a</i> TKP TKN Nitrate	Chl a 1.00000 -0.07741 0.39098 -0.20411	TKP -0.07741 1.00000 0.05550 -0.12724	TKN 0.39098 0.05550 1.00000 -0.09692	Nitrate -0.20411 -0.12724 -0.09692 1.00000	pH -0.53850 -0.10380 -0.17227 0.08705	Turbidity -0.06270 0.24133 -0.16737 0.37875	RDO -0.17112 -0.17474 -0.13700 0.13592	Temp 0.12284 -0.12919 -0.03279 -0.24366
12/3/2021 Chl <i>a</i> TKP TKN Nitrate pH	Chl a 1.00000 -0.07741 0.39098 -0.20411 -0.53850	TKP -0.07741 1.00000 0.05550 -0.12724 -0.10380	TKN 0.39098 0.05550 1.00000 -0.09692 -0.17227	Nitrate -0.20411 -0.12724 -0.09692 1.00000 0.08705	pH -0.53850 -0.10380 -0.17227 0.08705 1.00000	Turbidity -0.06270 0.24133 -0.16737 0.37875 -0.21798	RDO -0.17112 -0.17474 -0.13700 0.13592 0.62289	Temp 0.12284 -0.12919 -0.03279 -0.24366 0.17740
12/3/2021 Chl <i>a</i> TKP TKN Nitrate pH Turbidity	Chl a 1.00000 -0.07741 0.39098 -0.20411 -0.53850 -0.06270	TKP -0.07741 1.00000 0.05550 -0.12724 -0.10380 0.24133	TKN 0.39098 0.05550 1.00000 -0.09692 -0.17227 -0.16737	Nitrate -0.20411 -0.12724 -0.09692 1.00000 0.08705 0.37875	pH -0.53850 -0.10380 -0.17227 0.08705 1.00000 -0.21798	Turbidity -0.06270 0.24133 -0.16737 0.37875 -0.21798 1.00000	RDO -0.17112 -0.17474 -0.13700 0.13592 0.62289 0.02462	Temp 0.12284 -0.12919 -0.03279 -0.24366 0.17740 -0.08228
12/3/2021 Chl <i>a</i> TKP TKN Nitrate pH Turbidity RDO	Chl a 1.00000 -0.07741 0.39098 -0.20411 -0.53850 -0.06270 -0.17112	TKP -0.07741 1.00000 0.05550 -0.12724 -0.10380 0.24133 -0.17474	TKN 0.39098 0.05550 1.00000 -0.09692 -0.17227 -0.16737 -0.13700	Nitrate -0.20411 -0.12724 -0.09692 1.00000 0.08705 0.37875 0.13592	pH -0.53850 -0.10380 -0.17227 0.08705 1.00000 -0.21798 0.62289	Turbidity -0.06270 0.24133 -0.16737 0.37875 -0.21798 1.00000 0.02462	RDO -0.17112 -0.13700 0.13592 0.62289 0.02462 1.00000	Temp 0.12284 -0.12919 -0.03279 -0.24366 0.17740 -0.08228 0.33939